

<b>Velikost</b>	<b>LI/SS</b>	<b>Hodnocení hvězdičkami</b>	<b>Běhoun (mm)</b>	
17.5R25	182A2	**	61.5	<a href="#">Podrobnosti</a>
20.5R25	193A2	**	69.5	<a href="#">Podrobnosti</a>
26.5R25	209A2	**	91.5	<a href="#">Podrobnosti</a>
29.5R25	216A2	**	96.5	<a href="#">Podrobnosti</a>
35/65R33	228A2	***	87.5	<a href="#">Podrobnosti</a>

## Specifikace

**Velikost**

17.5R25

**Profil**

AL53

---

**TL/TT**

TL

---

**Doporučený ráfek**

14.00

---

**Šířka (mm)**

445

---

**Průměr (mm)**

1,415

---

**Běhoun (mm)**

61.5

---

**Nosnost (kg-km/h)**

8500,000000

---

**Tlak vzduchu (bar)**

6

---

**Radiální/diagonální**

Radiální

---

**Aplikace** product.spec.usage.options.empty

---

## Specifikace

---

**Velikost**


20.5R25

---

**Profil**


AL53



<b>TL/TT</b>	TL
<b>Doporučený ráfek</b>	17.00
<b>Šířka (mm)</b>	520
<b>Průměr (mm)</b>	1,572
<b>Tread (mm)</b>	69.5
<b>Air pressure (bar)</b>	6
<b>Radial/diagonal</b>	Radiaal
<b>Application</b>	 product.spec.usage.options.empty


## Specifications

<b>Size</b>	26.5R25
<b>Profile</b>	AL53
<b>TL/TT</b>	TL

<b>Recommended rim</b>	22.00
<b>Width (mm)</b>	676
<b>Diameter (mm)</b>	1,805
<b>Tread (mm)</b>	91.5
<b>Air pressure (bar)</b>	6
<b>Radial/diagonal</b>	Radiaal
<b>Application</b>	 product.spec.usage.options.empty

## Specifications

<b>Size</b>	29.5R25
<b>Profile</b>	AL53
<b>TL/TT</b>	TL
<b>Recommended rim</b>	25.00

<b>Width (mm)</b>	750
<b>Diameter (mm)</b>	1,905
<b>Tread (mm)</b>	96.5
<b>Air pressure (bar)</b>	6
<b>Radial/diagonal</b>	Radiaal
<b>Application</b>	 product.spec.usage.options.empty

## Specifications

<b>Size</b>	35/65R33
<b>Profile</b>	AL53
<b>TL/TT</b>	TL
<b>Recommended rim</b>	28.00
<b>Width (mm)</b>	895

---

**Diameter (mm)**

2,050

---

**Tread (mm)**

87.5

---

**Air pressure (bar)**

8

---

**Radial/diagonal**

Radiaal

---

**Application**

 product.spec.usage.options.empty

---

